

## PROTEUS E-66




The MDB Change Giver for EUROland  
12 Countries – one Change Giver

Operator

## PROTEUS E-66

Technician


Route Filler



a Crane Co. company

# PROTEUS E-66

## The MDB Change Giver for EUROland



# Success for the Operator

## Operator

**Triple  
Cassette**

Triple coin set in one cassette

5/10/20/50    5/10/5/50    20/10/20/50

*Ctm will get always his vend with exact change money*

**Triple  
Module**

Triple module based

Validator    Cassette    Pay out

*Clear separation of the responsibilities of the modules*

**Triple  
Optimized**

Triple features of the Change Giver

robust    reliable    simple

*Easy usage and defined structure of the PROTEUS E-66*

## Route Filler

**Triple  
Filling**

Triple filling of the cassette

manual    by validator    by cassette

*Fast and easy filling of the cassette*

**Triple  
Status**

Triple status of the Change giver

Green - o.k.    Yellow - Attention    Red - Stop

*E-66 working Service Filler Service Technician*

**Triple  
Cassette**

Triple coin set in one cassette

5/10/20/50    5/10/5/50    20/10/20/50

*Flexible adjustment onto new price settings*

## Technician

**Triple  
Adjustment**

Triple adjustment of the Change Giver

by PalmEMP    by WinEMP    by adjustment module

*Effective adaption of the PROTEUS E-66 to new requirements*

**Triple  
Design**

Triple marking of the moving parts

Return lever    Scavenger Clip    Validator Clip

*Easy handling of the PROTEUS E-66*

**Triple  
Security**

Triple security against manipulation

mechanical    optical    download

*Protection against external manipulation and slugs*

# PROTEUS E-66

## The MDB Change Giver for EUROland

### Advantages in a glance

- MDB - Interface
- for EUROland
- Voltage <11 - 45 VoltDC (Battery version optional)
- robust due to compact module technology
- Simple handling (Plug&Play)
- Pay out module with cassette
- Coloured concept with blue housing, coloured pictograms and white operating parts
- 16 coin channels in one data block plus 4 shadow channels
- 8-pin Western modular plug (Program update, coin download, Setup)
- Token-Teach onside
- simple diagnostic by coloured LED`s (pilot lights)
- Protection against string manipulation
- Coin cassette filled removable
- Manual filling by pull out the cassette
- 4 filling level sensors monitoring the correct tube content
- Auto recognition of the filling level sensors function
- Transparent cover of the cash box channel
- Protected pc boards
- "Float-Mode" allows a simple data retrieval of the machine
- Splash proofed electronic pc boards
- Wake up line (Pin3) supported
- SMD technology



a Crane Co. company

NATIONAL REJECTORS, INC. GMBH · D-21614 Buxtehude · Zum Fruchthof 6  
Telephone: +49/4161/729-0 · Telefax: +49/4161/729-115 · Internet: [www.nri.de](http://www.nri.de) · E-mail: [info@nri.de](mailto:info@nri.de)